












Palice - specifikacija						1
ozn	oblika in mere [cm]	Ø	lg [m]	n [kos]	lgn [m]	
Podporni zid (1 kos)						
1		14	3.49	290	1012.10	
2		10	1.95	290	565.50	
3		10	0.92	375	345.00	
4		10	6.00	230	1380.00	
5		12	6.00	40	240.00	
6		10	1.75	65	113.75	
7		12	3.29	65	213.85	
8		10	1.32	72	95.04	
9		22	0.40	24	9.60	
10		6	0.60	170	102.00	

Palice - izvleček				2
Ø [mm]	lgn [m]	Teža enote [kg/m]	Teža [kg]	
S500, Ø ≤ 12 mm				
6	102.00	0.23	23.26	
10	2499.29	0.63	1582.05	
12	453.85	0.91	413.46	
Skupaj			2018.76	
S500, Ø > 12 mm				
14	1012.10	1.24	1257.03	
22	9.60	3.06	29.36	
Skupaj			1286.39	



Mreže - specifikacija						3
Pozicija	Oznaka mreže	B [cm]	L [cm]	n	Teža enote [kg/m2]	Skupna teža [kg]
Podporni zid (1 kos)						
I-1	R-785	215	270	30	7.38	1285.05
II-1	Q-283	215	270	34	4.44	875.53
II-2	Q-283	215	240	8	4.44	183.12
III-1	R-503	215	240	7	4.57	165.00
Skupaj						2508.70

Mreže - izvleček					4
Oznaka mreže	B [cm]	L [cm]	n	Teža enote [kg/m ²]	Skupna teža [kg]
R-785	215	600	15	7.38	1427.84
Q-283	215	600	21	4.44	1201.71
R-503	215	600	4	4.57	235.71
Skupaj					2865.26

Mreže - načrt razreza	5
Podporni zid	
R-785 (215 cm x 600 cm)	



Q-283 (215 cm x 600 cm)



R-503 (215 cm x 600 cm)

