

Tlors AB zidov v temeljih
 M 1:50

Prerez 5 - 5
 Prerez 6 - 6

Technical drawing of a reinforced concrete slab (Prerez 1 - 1) showing dimensions and reinforcement details. The drawing includes a cross-section of the slab with a total width of 120 cm and a total height of 60 cm. The slab is divided into two main sections: a top section with a height of 40 cm and a bottom section with a height of 20 cm. The reinforcement details are as follows:

- Top Section (40 cm height):**
 - Reinforcement bars are labeled 11, 5, and 12.
 - A circular detail shows a bar with diameter $\varnothing 10/15$.
 - A label Q424 is present near the top reinforcement.
- Bottom Section (20 cm height):**
 - Reinforcement bars are labeled 4 and 10.
 - A circular detail shows a bar with diameter $\varnothing 10/20$.
- Bottom Section (20 cm height):**
 - Reinforcement bars are labeled 8 and 6.
 - A circular detail shows a bar with diameter $\varnothing 6/12$.

Dimensions and labels:

- Top section height: 40
- Bottom section height: 20
- Total height: 60
- Top section width: 120
- Bottom section width: 120
- Reinforcement labels: 11, 5, 12, 4, 10, 8, 6
- Bar diameters: $\varnothing 10/15$, $\varnothing 10/20$, $\varnothing 6/12$
- Label: Q424

Prerez 2 - 2

Q424

8 ø 10 / 15

17 5 12

4 ø 10 / 20

40

60

30 30

120

8 ø 6 12

Prerez 3 - 3

0.30
▼

0.90
▼

0.70
▼

1.20
▼

0.60
▼

Q424

8 \varnothing 10 / 15

4 \varnothing 10 / 20

14 \varnothing 5 / 12

8 \varnothing 6 / 12

30 30 60

120

Prerez 5 - 5

Q283
Ø 10 / 15
Ø 10 / 20
60
40
30 20 30
-0.30
-0.9
-1.3

Prerez 6 - 6

55

27 12 # 10 L=400cm

8%

90

24

49

72

+0.32

+0.12

+0.18

-0.80

34 2 # 12

35 # 10 / 15

27 # 10 / 15

34 # 12

36 2 # 12

38 3 # 12

15⁵

34⁵

Prerez 7 - 7

armatura S500B

Sedež: Irla vas 3b
8200 Novo mesto
Biro: Kočevskega ulica 1
8200 Novo mesto
Tel.: 07/33 28 854, 07/33 28 858
Fax: 07/33 28 855
GSM: 081 - 303 205
E-mail: stane@biroduvc.si

Investitor:

Občina Brežice
Cesta prvih borcev 18, 8250 BREŽICE

Objekt:

Dom kulture Brežice

Načrt:

Gradbene konstrukcije

Faza:

PZI

Ime in priimek

Id. številka:

Podpis:

Odgovorni vodja projekta:

Nataša FILIPČIČ, u.d.i.a.

A-0532

Odgovorni projektant:

Stanislav UDOVČ, u.d.i.g.

G-1843

Sodelavci:

Blaž PUCELJ, d.i.g.

Štev. projekta:
3148/A-16

Datum:
Junij 2019

Štev. načrta
PZI 190/18

Merilo:
M1:25, 1:50

Vsebinska lista:

AB temelji, stene - 2 faza
(detalji, prerezi)

Štev. lista:

02