





















Palice - specifikacija					
ozn	oblika in mere [cm]	Ø	lg [m]	n [kos]	lgn [m]
opornik (2 kos)					
1		16	3.55	20	71.00
2		16	3.70	20	74.00
3		14	2.70	118	318.60
4		16	0.60	96	57.60
5		10	7.26	12	87.12
6		14	*3.61	2 x 43	310.14
7		10	4.00	152	608.00
8		16	2.62	22	57.64
9		16	2.53	2 x 11	55.66
10		14	*2.60	2 x 43	223.28
11		8	1.73	98	169.54
prehodna plošča (1 kos)					
1		12	3.62	16	57.92
2		12	6.91	16	110.56
3		8	1.32	286	377.52
4		10	1.32	136	179.52

Palice - specifikacija					
ozn	oblika in mere [cm]	Ø	lg [m]	n [kos]	lgn [m]
5	690	10	6.90	88	607.20
6	374	10	3.74	176	658.24
voziščna plošča (1 kos)					
1	464	14	4.64	45	208.80
2		12	2.84	46	130.64
3	569	16	5.69	71	403.99
4		12	3.34	43	143.62
5		18	3.45	142	489.90
6	425	12	4.25	110	467.50
7	560	10	5.60	71	397.60
robni venci (1 kos)					
1		10	4.26	38	161.88
2		8	4.08	38	155.04

Palice - specifikacija					
ozn	oblika in mere [cm]	Ø	lg [m]	n [kos]	lg _n [m]
3		10	5.77	55	317.35
Pasovni temelj krajši (1 kos)					
1		12	8.30	28	232.40
2		8	3.18	104	330.72
3		16	1.30	236	306.80
Konzolno krilo-1 (2 kos)					
1		12	1.70	60	102.00
2		8	0.66	78	51.48
3	 4 x : a = 35 - 196 da = 10.1	12	*1.29	4 x 17	87.88
4		12	2.10	52	109.20
5		10	3.54	4	14.16
6	 4 x : a = 127 - 285 da = 9.9	12	*2.06	4 x 17	140.04
7		12	2.86	16	45.76
Konzolno krilo-2 (2 kos)					
1		12	2.01	54	108.54


Palice - specifikacija					
ozn	oblika in mere [cm]	Ø	lg [m]	n [kos]	lgn [m]
2	 4 x : 1. a = 264 - 102 da = -10.1	12	*2.13	4 x 17	144.92
3	 4 x : 1. a = 1, 12, 22, 32, 42, 52, 62, 72, 82, 92, 102, 113, 123, 133, 143, 153, 163	12	*1.12	4 x 17	76.36
4		12	2.00	44	88.00
5		8	0.66	78	51.48
6		10	3.38	4	13.52
7		12	2.08	54	112.32

Palice - izvleček			
Ø [mm]	lgn [m]	Teža enote [kg/m']	Teža [kg]
S500			
8	1135.78	0.40	448.63
10	3044.59	0.62	1878.51
12	2157.66	0.89	1916.00
14	1060.82	1.21	1283.59
16	1026.69	1.58	1622.17
18	489.90	2.00	979.80
Skupaj			8128.71


Mreže - specifikacija						
Pozicija	Oznaka mreže	B [cm]	L [cm]	n	Teža enote [kg/m2]	Skupna teža [kg]
prehodna plošča (1 kos)						
I-1	Q-283	220	412	4	4.44	161.14
I-2	Q-283	220	412	4	4.44	161.15
I-3	Q-283	220	412	4	4.44	161.16
I-4	Q-283	147	396	4	4.44	103.46
Skupaj						586.92

Mreže - izvleček					
Oznaka mreže	B [cm]	L [cm]	n	Teža enote [kg/m ²]	Skupna teža [kg]
Q-283	220	500	16	4.44	781.44
Skupaj					781.44


Mreže - načrt razreza
prehodna plošča
Q-283




I-3 220 x 412



I-2 220 x 412



I-1 220 x 412



I-4 147 x 396