

Projekt: 1 1

/ 1

Podatki o projektu

Naslov : 1
Komponenta : 1
St. Nacrta: : 1

PALICNA ARMATURA Jeklo: S500B

Poz.	Kom.	fi	Dolzina	D8	D10	D12	D14	D16	D18	D20
1	296	8	3.49	1033.04						
2	112	14	4.00				448.00			
3	16	10	4.00		64.00					
4	211	8	2.48	523.28						
5	492	10	1.80		885.60					
6	56	14	6.20				347.20			
7	8	10	6.20		49.60					
8	14	14	12.00				168.00			
9	2	10	12.00		24.00					
10	7	8	4.84	33.88						
11	5	8	3.38	16.90						
12	22	14	2.00				44.00			
13	2	10	2.00		4.00					
14	122	16	0.67					81.74		
15	26	12	3.23			83.98				
16	36	12	2.72	srednja		97.92				
17	20	12	7.53	srednja		150.60				
18	2	10	4.41		8.82					
19	116	18	2.50					290.00		
20	1100	8	1.37	1507.00						
21	201	8	3.24	651.24						
22	107	8	2.63	281.41						
23	28	14	7.20				201.60			
24	4	10	7.20		28.80					
25	14	14	5.65				79.10			
26	2	10	5.65		11.30					
27	14	14	10.75				150.50			
28	2	10	10.75		21.50					
29	28	14	5.75				161.00			
30	4	10	5.75		23.00					
31	19	8	2.64	50.16						
32	8	14	4.50				36.00			
33	2	10	4.50		9.00					
34	7	8	2.25	15.75						
35	6	14	2.50				15.00			
36	2	10	2.50		5.00					
37	44	10	1.96		86.24					
38	12	20	4.00							48.00
39	12	14	4.00				48.00			
40	4	10	4.00		16.00					
41	425	8	1.83	777.75						
42	83	10	1.40		116.20					
43	4	20	8.75							35.00
44	2	10	8.75		17.50					
45	4	14	8.75				35.00			
46	3	20	3.00							9.00
47	12	18	4.10						49.20	
48	16	18	3.70						59.20	
49	24	18	3.85						92.40	
50	135	8	2.02	272.70						
51	12	18	4.50						54.00	
52	32	12	4.50			144.00				
53	3	16	6.00					18.00		
54	8	12	6.00			48.00				
55	51	8	0.77	39.27						
56	10	14	1.80				18.00			
57	10	12	1.80			18.00				
58	12	14	12.00				144.00			
59	16	14	1.60				25.60			
60	39	8	0.92	35.88						

Projekt: 1 1

/ 1

PALICNA ARMATURA Jeklo: S500B

Poz.	Kom.	fi	Dolzina	D8	D10	D12	D14	D16	D18	D20
61	24	16	1.60					38.40		
62	40	18	3.85						154.00	
63	32	18	6.80						217.60	
64	174	8	1.11	193.14						
65	24	16	2.78					66.72		
66	79	8	1.27	100.33						
67	75	8	1.47	110.25						
68	6	18	4.86						29.16	
69	4	14	4.86				19.44			
70	18	16	2.50					45.00		
71	12	12	2.50			30.00				
72	14	14	1.85				25.90			
73	14	12	1.85			25.90				
74	29	8	1.32	38.28						
75	44	8	1.42	62.48						
76	8	8	1.17	9.36						
77	26	8	1.62	42.12						
78	5	20	3.00							15.00
79	2	14	3.00				6.00			
80	3	16	3.50					10.50		
81	2	12	3.50			7.00				
82	77	8	1.72	132.44						
83	10	20	5.00							50.00
84	4	12	5.00			20.00				
85	148	8	1.52	224.96						
86	12	20	8.75							105.00
87	4	14	8.75				35.00			
88	150	8	0.92	138.00						
89	20	18	2.90						58.00	
90	6	8	1.17	7.02						
91	299	8	1.85	553.15						
92	72	8	1.15	82.80						
93	48	14	12.00				576.00			
94	95	12	3.00			285.00				
95	104	18	3.00						312.00	
96	12	14	3.50				42.00			
97	4	14	7.00				28.00			
98	147	8	1.80	264.60						
99	71	8	1.10	78.10						
100	396	8	0.97	384.12						
101	24	12	12.00			288.00				
102	80	8	1.12	89.60						
103	32	14	0.85				27.20			
104	20	14	1.25				25.00			
105	20	14	0.95				19.00			
106	8	16	2.24					17.92		
107	8	8	1.07	8.56						
108	14	14	4.00				56.00			
109	7	14	2.24				15.68			
110	8	16	2.55					20.40		
111	8	18	5.21						41.68	
112	89	14	1.15				102.35			
113	8	14	3.00				24.00			
114	8	14	2.05				16.40			
115	8	14	1.23				9.84			
116	8	14	2.87				22.96			
117	7	14	3.21				22.47			
118	8	14	2.02				16.16			
119	8	14	2.14				17.12			
120	16	10	1.00		16.00					
121	165	10	0.99		163.35					
122	350	10	0.99		346.50					
123	240	10	1.01		242.40					
124	150	10	0.93		139.50					
125	38	10	1.35		51.30					

Projekt: 1 1

/ 1

PALICNA ARMATURA Jeklo: S500B

Poz.	Kom.	fi	Dolzina	D8	D10	D12	D14	D16	D18	D20
126	4	20	4.60							18.40
127	2	12	4.60			9.20				
128	246	10	2.81		691.26					
129	84	12	12.00			1008.00				
130	8	10	12.00		96.00					
131	193	12	2.54			490.22				
132	193	8	1.14	220.02						
133	47	12	2.64			124.08				
134	74	8	1.24	91.76						
135	135	16	4.22					569.70		

Skupna dolz.	8069.35	2829.90	868.38	280.40
kg / m	D8 0.395	D12 0.888	D16 1.580	D20 2.470
kg / profil	3187.393	2512.951	1372.040	692.588

Skupna dolz.	3116.87	3027.52	1357.24
kg / m	D10 0.617	D14 1.210	D18 1.998
kg / profil	1923.109	3663.299	2711.766

Skupna masa (kg)	16063.146
------------------	-----------

Poz. Opomba:

14 Sidro za povezavo z obstojeèimi temelji !
 20 fi8/10cm/15cm
 58 Reži na licu mesta !
 60 fi8/15cm
 93 Reži na licu mesta !
 101 Reži na licu mesta !
 102 fi8/15cm
 106 fi16/15cm
 109 fi14/15cm
 110 fi16/15cm
 111 fi18/15cm
 114 fi14/15cm
 115 fi14/15cm
 116 fi14/15cm
 117 fi14/15cm
 118 fi14/15cm
 119 fi14/15cm
 120 fi10/15cm
 121 2/m2
 122 2/m2
 123 2/m2
 124 2/m2
 125 fi10/10cm/15cm
 129 Reži na licu mesta !
 130 Reži na licu mesta !
 132 fi8/15cm
 134 fi8/15cm
 135 fi16/30cm

Projekt: 1 1

/ 1

Podatki o projektu

Naslov : 1
Komponenta : 1
St. Nacrta: : 1

M R E Z N A A R M A T U R A Jeklo: 500M

Poz.	Kom.	Tip	Dolzina	Sirina	Q196	Q226	Q257	Q335	Q385	Q524	Q628
1	6	Q257	3.55	2.20			46.86				
2	6	Q257	3.55	1.89			40.26				
3	2	Q335	0.89	1.10				1.96			
4	6	Q257	0.90	2.20			11.88				
5	6	Q257	0.90	1.89			10.21				
6	32	Q335	0.89	2.20				62.66			
7	2	Q335	0.89	1.35				2.40			
32	1	Q385	4.40	1.10					4.84		
34	1	Q385	4.40	2.20					9.68		
35	1	Q385	4.40	1.87					8.23		
36	1	Q385	4.40	1.44					6.34		
37	1	Q628	6.00	1.10							6.60
38	4	Q628	6.00	2.20							52.80
39	1	Q628	6.00	1.70							10.20
40	3	Q628	2.22	2.20							14.65
41	1	Q628	2.22	0.60							1.33
42	1	Q385	6.00	1.83					10.98		
43	1	Q385	2.08	1.83					3.81		
44	1	Q628	6.00	1.83							10.98
45	1	Q524	5.55	0.90						5.00	
46	7	Q524	5.55	2.20						85.47	
47	1	Q628	1.15	1.83							2.10
48	1	Q226	3.75	2.20		8.25					
49	1	Q226	3.75	1.25		4.69					
50	3	Q226	5.00	1.12		16.80					
51	22	Q226	5.00	2.20		242.00					
52	3	Q226	1.09	2.20		7.19					
53	1	Q226	1.09	1.25		1.36					
54	5	Q226	3.35	2.20		36.85					
55	1	Q226	3.35	1.12		3.75					
56	6	Q226	0.88	2.20		11.62					
57	1	Q226	5.00	1.25		6.25					
58	2	Q385	0.55	2.20					2.42		
59	4	Q385	6.00	2.20					52.80		
60	1	Q226	0.88	1.10		0.97					
61	1	Q226	0.88	0.87		0.77					
62	1	Q226	5.00	1.57		7.85					
63	1	Q628	1.21	2.20							2.66
64	1	Q385	3.00	0.56					1.68		
65	4	Q385	3.00	2.20					26.40		
66	1	Q385	6.00	1.10					6.60		
67	1	Q385	6.00	1.66					9.96		
68	1	Q385	4.45	0.56					2.49		
69	4	Q385	4.45	2.20					39.16		
70	2	Q385	5.64	2.20					24.82		
71	1	Q385	5.64	0.49					2.76		
72	1	Q385	2.16	1.22					2.64		
73	2	Q385	2.16	2.20					9.50		
74	1	Q385	2.11	2.20					4.64		
75	1	Q385	1.75	1.54					2.70		
76	1	Q385	1.13	2.02					2.28		
77	1	Q385	0.80	2.20					1.76		
78	1	Q226	2.50	1.16		2.90					
79	4	Q226	2.50	2.20		22.00					
80	4	Q226	1.86	2.20		16.37					
81	1	Q226	1.86	1.16		2.16					
82	1	Q226	2.16	1.22		2.64					
83	2	Q226	2.16	2.20		9.50					
84	1	Q226	2.11	2.20		4.64					
85	1	Q226	1.75	1.54		2.70					

Projekt: 1 1

/ 1

M R E Z N A A R M A T U R A Jeklo: 500M

Poz.	Kom.	Tip	Dolzina	Sirina	Q196	Q226	Q257	Q335	Q385	Q524	Q628
86	1	Q226	1.13	2.02		2.28					
87	1	Q226	0.80	2.20		1.76					
88	1	Q257	2.50	1.01			2.52				
89	3	Q257	2.50	2.20			16.50				
90	1	Q257	0.79	2.20			1.74				
91	5	Q257	5.00	2.20			55.00				
92	2	Q196	2.50	2.20	11.00						
93	1	Q257	5.00	1.01			5.05				
94	1	Q257	0.79	0.60			0.47				
95	1	Q257	5.00	0.60			3.00				
96	1	Q257	1.00	1.01			1.01				
97	3	Q257	1.00	2.20			6.60				
98	1	Q196	2.50	2.16	5.40						
99	1	Q196	5.00	1.10	5.50						
100	2	Q196	5.00	2.20	22.00						
101	1	Q196	5.00	1.37	6.85						
102	2	Q196	0.80	2.20	3.52						
103	1	Q196	0.80	2.16	1.73						
104	1	Q257	0.89	2.20			1.96				
105	1	Q257	0.89	0.70			0.62				
106	1	Q257	5.00	0.70			3.50				

Skupna pov.	56.00	207.18	236.48	101.33
kg / m2	3.08	4.11	6.04	9.98
kg / tip mreze	172.474	851.514	1428.344	1011.278

Skupna pov.	415.29	67.02	90.47
kg / m2	3.59	5.33	8.32
kg / tip mreze	1490.891	357.201	752.669

Skupna masa (kg)	6064.371
------------------	----------

























Projekt: 1 1

/ 1

Podatki o projektu

Naslov : 1
Komponenta : 1
St. Nacrta: : 1



















RAZREZ MREZ Jeklo: 500M



Projekt: 1 1

/ 1


RAZREZ MREZ Jeklo: 500M



Projekt: 1 1

/ 1

RAZREZ MREZ Jeklo: 500M



Projekt: 1 1

/ 1

RAZREZ MREZ Jeklo: 500M

Brutto skupna površina

Kom.	Tip	Dolzina m	Sirina m	Masa kg
6	Q196	5.00	2.20	203.280
43	Q226	5.00	2.20	1698.070
22	Q257	5.00	2.20	994.620
6	Q335	6.00	2.20	422.136
21	Q385	6.00	2.20	1674.288
8	Q524	6.00	2.20	878.592
9	Q628	6.00	2.20	1185.624
Brutto skupna masa (kg)				7056.610

















Projekt: 1 1

/ 1

Podatki o projektu

Naslov : 1
Komponenta : 1
St. Nacrta : 1

ARMATURNI IZVLECEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg
1	296	8	3.49		A4		1033.04	408.051
2	112	14	4.00		A1		448.00	542.080
3	16	10	4.00		A1		64.00	39.488
4	211	8	2.48		A3		523.28	206.696
5	492	10	1.80		A1		885.60	546.415
6	56	14	6.20		A1		347.20	420.112
7	8	10	6.20		A1		49.60	30.603
8	14	14	12.00		A1		168.00	203.280
9	2	10	12.00		A1		24.00	14.808
10	7	8	4.84		A4		33.88	13.383
11	5	8	3.38		A3		16.90	6.676
12	22	14	2.00		A1		44.00	53.240
13	2	10	2.00		A1		4.00	2.468
14	122	16	0.67		A1	 Opomba: Sidro za povezavo z obstoječimi temelji !	81.74	129.149
15	26	12	3.23		A3		83.98	74.574
16	36	12	2.72		A3	 -b- Poz. 1 St. Dolzina 6 3.11 -b- 1.29	97.92	86.953

Projekt: 1 1

/ 1




















ARMATURNI IZVLECEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg																																												
16						<table><tr><td>Poz.</td><td>St.</td><td>Dolzina</td><td>-b-</td></tr><tr><td>2</td><td>6</td><td>2.95</td><td>1.13</td></tr><tr><td>3</td><td>6</td><td>2.80</td><td>0.98</td></tr><tr><td>4</td><td>6</td><td>2.65</td><td>0.83</td></tr><tr><td>5</td><td>6</td><td>2.49</td><td>0.67</td></tr><tr><td>6</td><td>6</td><td>2.34</td><td>0.52</td></tr></table>	Poz.	St.	Dolzina	-b-	2	6	2.95	1.13	3	6	2.80	0.98	4	6	2.65	0.83	5	6	2.49	0.67	6	6	2.34	0.52																						
Poz.	St.	Dolzina	-b-																																																	
2	6	2.95	1.13																																																	
3	6	2.80	0.98																																																	
4	6	2.65	0.83																																																	
5	6	2.49	0.67																																																	
6	6	2.34	0.52																																																	
17	20	12	7.53		A3	<div><div><div>91</div><div>4.41</div><div>φ</div></div><table><tr><td>Poz.</td><td>St.</td><td>Dolzina</td><td>-c-</td></tr><tr><td>1</td><td>2</td><td>5.34</td><td>0.01</td></tr><tr><td>2</td><td>2</td><td>5.82</td><td>0.50</td></tr><tr><td>3</td><td>2</td><td>6.31</td><td>0.99</td></tr><tr><td>4</td><td>2</td><td>6.80</td><td>1.48</td></tr><tr><td>5</td><td>2</td><td>7.29</td><td>1.97</td></tr><tr><td>6</td><td>2</td><td>7.78</td><td>2.46</td></tr><tr><td>7</td><td>2</td><td>8.27</td><td>2.94</td></tr><tr><td>8</td><td>2</td><td>8.75</td><td>3.43</td></tr><tr><td>9</td><td>2</td><td>9.24</td><td>3.92</td></tr><tr><td>10</td><td>2</td><td>9.73</td><td>4.41</td></tr></table></div>	Poz.	St.	Dolzina	-c-	1	2	5.34	0.01	2	2	5.82	0.50	3	2	6.31	0.99	4	2	6.80	1.48	5	2	7.29	1.97	6	2	7.78	2.46	7	2	8.27	2.94	8	2	8.75	3.43	9	2	9.24	3.92	10	2	9.73	4.41	150.60	133.733
Poz.	St.	Dolzina	-c-																																																	
1	2	5.34	0.01																																																	
2	2	5.82	0.50																																																	
3	2	6.31	0.99																																																	
4	2	6.80	1.48																																																	
5	2	7.29	1.97																																																	
6	2	7.78	2.46																																																	
7	2	8.27	2.94																																																	
8	2	8.75	3.43																																																	
9	2	9.24	3.92																																																	
10	2	9.73	4.41																																																	
18	2	10	4.41		A1	<div><div>4.41</div></div>	8.82	5.442																																												
19	116	18	2.50		A2	<div><div><div>30</div><div>2.20</div></div></div>	290.00	579.420																																												
20	1100	8	1.37		A4	<div><div><div><div>2525</div><div>6</div><div>25</div><div>25</div><div>6</div></div><div>Opomba: fi8/10cm/15cm</div></div></div>	1507.00	595.265																																												
21	201	8	3.24		A4	<div><div><div><div>72</div><div>6</div><div>56</div><div>72</div><div>6</div><div>5656</div></div></div></div>	651.24	257.240																																												
22	107	8	2.63		A3	<div><div><div>13</div><div>1.25</div><div>1.25</div></div></div>	281.41	111.157																																												
23	28	14	7.20		A1	<div><div><div>7.20</div></div></div>	201.60	243.936																																												
24	4	10	7.20		A1	<div><div><div>7.20</div></div></div>	28.80	17.770																																												
25	14	14	5.65		A1	<div><div><div>5.65</div></div></div>	79.10	95.711																																												
26	2	10	5.65		A1	<div><div><div>5.65</div></div></div>	11.30	6.972																																												
27	14	14	10.75		A1	<div><div><div>10.75</div></div></div>	150.50	182.105																																												
28	2	10	10.75		A1	<div><div><div>10.75</div></div></div>	21.50	13.265																																												
29	28	14	5.75		A1	<div><div><div>5.75</div></div></div>	161.00	194.810																																												
30	4	10	5.75		A1	<div><div><div>5.75</div></div></div>	23.00	14.191																																												

Projekt: 1 1

/ 1














ARMATURNI IZVLECEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbf fi	Tip	Oblika	Skupna dol.	Masa kg
31	19	8	2.64		A4		50.16	19.813
32	8	14	4.50		A1		36.00	43.560
33	2	10	4.50		A1		9.00	5.553
34	7	8	2.25		A4		15.75	6.221
35	6	14	2.50		A1		15.00	18.150
36	2	10	2.50		A1		5.00	3.085
37	44	10	1.96		A4		86.24	53.210
38	12	20	4.00		A1		48.00	118.560
39	12	14	4.00		A1		48.00	58.080
40	4	10	4.00		A1		16.00	9.872
41	425	8	1.83		A3		777.75	307.211
42	83	10	1.40		A4		116.20	71.695
43	4	20	8.75		A1		35.00	86.450
44	2	10	8.75		A1		17.50	10.797
45	4	14	8.75		A1		35.00	42.350
46	3	20	3.00		A1		9.00	22.230
47	12	18	4.10		A1		49.20	98.302
48	16	18	3.70		A1		59.20	118.282
49	24	18	3.85		A1		92.40	184.615

Projekt: 1 1

/ 1
















ARMATURNI IZVLECEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg
64	174	8	1.11		E3	 <p>Okroglo streme Radij 0.25 Zascitni sloj 0.32</p>	193.14	76.290
65	24	16	2.78		A1		66.72	105.418
66	79	8	1.27		A4		100.33	39.630
67	75	8	1.47		A4		110.25	43.549
68	6	18	4.86		A1		29.16	58.262
69	4	14	4.86		A1		19.44	23.522
70	18	16	2.50		A1		45.00	71.100
71	12	12	2.50		A1		30.00	26.640
72	14	14	1.85		A1		25.90	31.339
73	14	12	1.85		A1		25.90	22.999
74	29	8	1.32		A4		38.28	15.121
75	44	8	1.42		A4		62.48	24.680
76	8	8	1.17		A4		9.36	3.697

Projekt: 1 1

/ 1















ARMATURNI IZVLECEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbf fi	Tip	Oblika	Skupna dol.	Masa kg
77	26	8	1.62		A4		42.12	16.637
78	5	20	3.00		A1		15.00	37.050
79	2	14	3.00		A1		6.00	7.260
80	3	16	3.50		A1		10.50	16.590
81	2	12	3.50		A1		7.00	6.216
82	77	8	1.72		A4		132.44	52.314
83	10	20	5.00		A1		50.00	123.500
84	4	12	5.00		A1		20.00	17.760
85	148	8	1.52		A4		224.96	88.859
86	12	20	8.75		A1		105.00	259.350
87	4	14	8.75		A1		35.00	42.350
88	150	8	0.92		A4		138.00	54.510
89	20	18	2.90		A1		58.00	115.884
90	6	8	1.17		A4		7.02	2.773
91	299	8	1.85		A3		553.15	218.494

Projekt: 1 1

/ 1











ARMATURNI IZVLECEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg
92	72	8	1.15		A3		82.80	32.706
93	48	14	12.00		A1	 Opomba: Reži na licu mesta !	576.00	696.960
94	95	12	3.00		A1		285.00	253.080
95	104	18	3.00		A1		312.00	623.376
96	12	14	3.50		A1		42.00	50.820
97	4	14	7.00		A1		28.00	33.880
98	147	8	1.80		A3		264.60	104.517
99	71	8	1.10		A3		78.10	30.850
100	396	8	0.97		A4		384.12	151.727
101	24	12	12.00		A1	 Opomba: Reži na licu mesta !	288.00	255.744
102	80	8	1.12		A4	 Opomba: fi8/15cm	89.60	35.392
103	32	14	0.85		A2		27.20	32.912
104	20	14	1.25		A2		25.00	30.250
105	20	14	0.95		A2		19.00	22.990

Projekt: 1 1

/ 1










ARMATURNI IZVLECEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg																														
106	8	16	2.24		C1	 <p>Opomba: fi16/15cm</p>	17.92	28.314																														
107	8	8	1.07		C1		8.56	3.381																														
108	14	14	4.00		A1		56.00	67.760																														
109	7	14	2.24		X1	 <table><thead><tr><th>St.</th><th>dx</th><th>dy</th><th>l</th><th>>°</th></tr></thead><tbody><tr><td>1</td><td>1.39</td><td>0.00</td><td>1.39</td><td>-17</td></tr><tr><td>2</td><td>0.31</td><td>-0.10</td><td>0.33</td><td>-90</td></tr><tr><td>3</td><td>-0.04</td><td>-0.12</td><td>0.13</td><td>-90</td></tr><tr><td>4</td><td>-0.37</td><td>0.11</td><td>0.39</td><td></td></tr></tbody></table> <p>Opomba: fi14/15cm</p>	St.	dx	dy	l	>°	1	1.39	0.00	1.39	-17	2	0.31	-0.10	0.33	-90	3	-0.04	-0.12	0.13	-90	4	-0.37	0.11	0.39		15.68	18.973					
St.	dx	dy	l	>°																																		
1	1.39	0.00	1.39	-17																																		
2	0.31	-0.10	0.33	-90																																		
3	-0.04	-0.12	0.13	-90																																		
4	-0.37	0.11	0.39																																			
110	8	16	2.55		C1	 <p>Opomba: fi16/15cm</p>	20.40	32.232																														
111	8	18	5.21		X1	 <table><thead><tr><th>St.</th><th>dx</th><th>dy</th><th>l</th><th>>°</th></tr></thead><tbody><tr><td>1</td><td>0.11</td><td>-0.07</td><td>0.13</td><td>32</td></tr><tr><td>2</td><td>4.10</td><td>-0.00</td><td>4.10</td><td>-29</td></tr><tr><td>3</td><td>0.86</td><td>-0.48</td><td>0.98</td><td></td></tr></tbody></table> <p>Opomba: fi18/15cm</p>	St.	dx	dy	l	>°	1	0.11	-0.07	0.13	32	2	4.10	-0.00	4.10	-29	3	0.86	-0.48	0.98		41.68	83.277										
St.	dx	dy	l	>°																																		
1	0.11	-0.07	0.13	32																																		
2	4.10	-0.00	4.10	-29																																		
3	0.86	-0.48	0.98																																			
112	89	14	1.15		A1		102.35	123.844																														
113	8	14	3.00		X1	 <table><thead><tr><th>St.</th><th>dx</th><th>dy</th><th>l</th><th>>°</th></tr></thead><tbody><tr><td>1</td><td>1.14</td><td>0.00</td><td>1.14</td><td>-16</td></tr><tr><td>2</td><td>0.31</td><td>-0.09</td><td>0.33</td><td>-90</td></tr><tr><td>3</td><td>-0.04</td><td>-0.15</td><td>0.16</td><td>-90</td></tr><tr><td>4</td><td>-0.27</td><td>0.08</td><td>0.28</td><td>12</td></tr><tr><td>5</td><td>-1.08</td><td>0.08</td><td>1.09</td><td></td></tr></tbody></table>	St.	dx	dy	l	>°	1	1.14	0.00	1.14	-16	2	0.31	-0.09	0.33	-90	3	-0.04	-0.15	0.16	-90	4	-0.27	0.08	0.28	12	5	-1.08	0.08	1.09		24.00	29.040
St.	dx	dy	l	>°																																		
1	1.14	0.00	1.14	-16																																		
2	0.31	-0.09	0.33	-90																																		
3	-0.04	-0.15	0.16	-90																																		
4	-0.27	0.08	0.28	12																																		
5	-1.08	0.08	1.09																																			
114	8	14	2.05		C1	 <p>Opomba: fi14/15cm</p>	16.40	19.844																														
115	8	14	1.23		C1	 <p>Opomba: fi14/15cm</p>	9.84	11.906																														

Projekt: 1 1

/ 1












ARMATURNI IZVLECEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg																									
116	8	14	2.87		X1	<div></div> <table><tr><th>St.</th><th>dx</th><th>dy</th><th>l</th><th>>°</th></tr><tr><td>1</td><td>0.50</td><td>-0.31</td><td>0.59</td><td>32</td></tr><tr><td>2</td><td>1.40</td><td>0.00</td><td>1.40</td><td>-90</td></tr><tr><td>3</td><td>0.00</td><td>-0.13</td><td>0.13</td><td>-90</td></tr><tr><td>4</td><td>-0.75</td><td>-0.00</td><td>0.75</td><td></td></tr></table> <p>Opomba: fi14/15cm</p>	St.	dx	dy	l	>°	1	0.50	-0.31	0.59	32	2	1.40	0.00	1.40	-90	3	0.00	-0.13	0.13	-90	4	-0.75	-0.00	0.75		22.96	27.782
St.	dx	dy	l	>°																													
1	0.50	-0.31	0.59	32																													
2	1.40	0.00	1.40	-90																													
3	0.00	-0.13	0.13	-90																													
4	-0.75	-0.00	0.75																														
117	7	14	3.21		C2	<div></div> <p>Opomba: fi14/15cm</p>	22.47	27.189																									
118	8	14	2.02		C1	<div></div> <p>Opomba: fi14/15cm</p>	16.16	19.554																									
119	8	14	2.14		C1	<div></div> <p>Opomba: fi14/15cm</p>	17.12	20.715																									
120	16	10	1.00		A2	<div></div> <p>Opomba: fi10/15cm</p>	16.00	9.872																									
121	165	10	0.99		D2	<div></div> <p>Opomba: 2/m2</p>	163.35	100.787																									
122	350	10	0.99		D2	<div></div> <p>Opomba: 2/m2</p>	346.50	213.790																									
123	240	10	1.01		D2	<div></div> <p>Opomba: 2/m2</p>	242.40	149.561																									
124	150	10	0.93		D2	<div></div> <p>Opomba: 2/m2</p>	139.50	86.071																									

Projekt: 1 1

/ 1

ARMATURNI IZVLECEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg																				
125	38	10	1.35		A4	<div></div> <div>Opomba: fi10/10cm/15cm</div>	51.30	31.652																				
126	4	20	4.60		A1	<div></div>	18.40	45.448																				
127	2	12	4.60		A1	<div></div>	9.20	8.170																				
128	246	10	2.81		A4	<div></div>	691.26	426.507																				
129	84	12	12.00		A1	<div></div> <div>Opomba: Reži na licu mesta !</div>	1008.00	895.104																				
130	8	10	12.00		A1	<div></div> <div>Opomba: Reži na licu mesta !</div>	96.00	59.232																				
131	193	12	2.54		A3	<div></div>	490.22	435.315																				
132	193	8	1.14		A3	<div></div> <div>Opomba: fi8/15cm</div>	220.02	86.908																				
133	47	12	2.64		A3	<div></div>	124.08	110.183																				
134	74	8	1.24		A3	<div></div> <div>Opomba: fi8/15cm</div>	91.76	36.245																				
135	135	16	4.22		X1	<div></div> <div><table><tr><th>St.</th><th>dx</th><th>dy</th><th>l</th><th>>°</th></tr><tr><td>1</td><td>-1.50</td><td>0.00</td><td>1.50</td><td>-82</td></tr><tr><td>2</td><td>-0.17</td><td>1.21</td><td>1.22</td><td>-98</td></tr><tr><td>3</td><td>1.50</td><td>0.00</td><td>1.50</td><td></td></tr></table></div>	St.	dx	dy	l	>°	1	-1.50	0.00	1.50	-82	2	-0.17	1.21	1.22	-98	3	1.50	0.00	1.50		569.70	900.126
St.	dx	dy	l	>°																								
1	-1.50	0.00	1.50	-82																								
2	-0.17	1.21	1.22	-98																								
3	1.50	0.00	1.50																									

Projekt: 1 1

/ 1

ARMATURNI IZVLECEK Jeklo: S500B

Poz.	St.	fi	Dolzina	dbr fi	Tip	Oblika	Skupna dol.	Masa kg
						Opomba: fi16/30cm		

Skupna masa (kg) 16063.147